

1/6/2022

**CITY OF GRANBURY
APPROVED STORM WATER PRODUCTS**

| Product | | Manufacturer | | |
|----------------|------------------------------|---------------------------------|---|-----------|
| | RBC | Rinker | Reinforced Box Culverts (Dwgs Required) | |
| ASTM C-33 | Reinforced Concrete Pipe | Turner | 12"-96" Concrete Pipe, Class III | 12"-96" |
| ASTM C-33 | Reinforced Concrete Pipe | Rinker | 12"-96" Concrete Pipe, Class III | 12"-96" |
| ASTM F2881 | Polypropylene Pipe | ADS | 12" - 60", crushed rock backfill, 6" bedding, OD+18" trench width, TV and Mandrell tested, minimum depth 18" under top of pavement | 12"-60" |
| | Pipe Sealant | Martin Asphalt Company | Evergrip 990 Strips | |
| | Joint Sealer | Henry | Ram-Nec Joint Sealant | |
| | Manhole Covers | East Jordan | 1480A Cover | |
| | Manhole Ring | East Jordan | 1480Z Frame | |
| | Storm Sewer Rings and Covers | Bass & Hays | BH VRM30-30" ring and cover | |
| AASHTO M306-10 | Manhole Ring and Cover | Composite Access Products, L.P. | Code A-1BK30X4-G04CPGSS-H1 or 24x4, only stainless steel metal for attached hardware, watertight (I&I lid not required) Model No. CAP ONE | 24" & 30" |
| | Manholes | Turner Company | Concentric and Eccentric (Dwgs Required) | |